



























Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

169									
	21542 1 $\frac{1}{4}$ 24	22352 1 $\frac{1}{4}$ 24 $\frac{3}{16}$	22623 1 $\frac{1}{4}$ 24 $\frac{3}{16}$	21839 1 $\frac{1}{4}$ 24 $\frac{7}{16}$	21438 1 $\frac{1}{4}$ 24 $\frac{3}{4}$	21603 1 $\frac{1}{4}$ 24 $\frac{13}{16}$	21761 1 $\frac{1}{4}$ 24 $\frac{13}{16}$	21574 1 $\frac{1}{4}$ 24 $\frac{15}{16}$	22324 1 $\frac{1}{4}$ 25









170									
	21994 1 $\frac{1}{4}$ 25 $\frac{7}{8}$	22741 1 $\frac{1}{4}$ 25 $\frac{1}{8}$	22456 1 $\frac{1}{4}$ 25 $\frac{5}{8}$	21764 1 $\frac{1}{4}$ 25 $\frac{5}{8}$	21602 1 $\frac{1}{4}$ 25 $\frac{15}{16}$	22883 1 $\frac{1}{4}$ 25 $\frac{15}{16}$	21335 1 $\frac{1}{4}$ 26 $\frac{1}{4}$	22202 1 $\frac{1}{4}$ 26 $\frac{1}{4}$	21269 1 $\frac{1}{4}$ 26 $\frac{5}{16}$



171									
	22997 1 $\frac{1}{4}$ 26 $\frac{1}{2}$	21158 1 $\frac{1}{4}$ 27	21487 1 $\frac{1}{4}$ 27 $\frac{1}{4}$	20893 1 $\frac{1}{4}$ 27 $\frac{1}{2}$	21540 1 $\frac{1}{4}$ 27 $\frac{5}{8}$	21554 1 $\frac{1}{4}$ 27 $\frac{5}{8}$	21235 1 $\frac{1}{4}$ 27 $\frac{13}{16}$	22699 1 $\frac{1}{4}$ 27 $\frac{15}{16}$	22087 1 $\frac{1}{4}$ 28 $\frac{1}{8}$


172									
	21643 1 $\frac{1}{4}$ 28 $\frac{5}{16}$	22631 1 $\frac{1}{4}$ 28 $\frac{3}{8}$	22909 1 $\frac{1}{4}$ 28 $\frac{13}{32}$	21978 1 $\frac{1}{4}$ 28 $\frac{3}{4}$	21831 1 $\frac{1}{4}$ 29	21754 1 $\frac{1}{4}$ 29 $\frac{1}{8}$	21539 1 $\frac{1}{4}$ 29 $\frac{5}{16}$	23074 1 $\frac{1}{4}$ 29 $\frac{19}{32}$	22634 1 $\frac{1}{4}$ 29 $\frac{5}{8}$








Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

								
173	21820 1 $\frac{1}{4}$ 29 $\frac{3}{4}$	21648 1 $\frac{1}{4}$ 29 $\frac{13}{16}$	21822 1 $\frac{1}{4}$ 29 $\frac{15}{16}$	22228 1 $\frac{1}{4}$ 30 $\frac{3}{8}$	21868 1 $\frac{1}{4}$ 30 $\frac{3}{4}$	21759 1 $\frac{1}{4}$ 30 $\frac{15}{16}$	22362 1 $\frac{1}{4}$ 31 $\frac{11}{16}$	22615 1 $\frac{1}{4}$ 31 $\frac{11}{16}$













































								
174	21408 1 $\frac{1}{4}$ 31 $\frac{3}{4}$	21270 1 $\frac{1}{4}$ 31 $\frac{13}{16}$	23152 1 $\frac{1}{4}$ 31 $\frac{13}{16}$	21188 1 $\frac{1}{4}$ 32	22008 1 $\frac{1}{4}$ 32 $\frac{7}{8}$	22173 1 $\frac{1}{4}$ 32 $\frac{7}{8}$	22357 1 $\frac{1}{4}$ 32 $\frac{3}{16}$	22016 1 $\frac{1}{4}$ 32 $\frac{1}{4}$

								
175	21189 1¼ 32 ⁵ / ₁₆	22196 1¼ 32½	22266 1¼ 32¾	21906 1¼ 33	22021 1¼ 33 ⁵ / ₁₆	22209 1¼ 33 ⁷ / ₁₆	21568 1¼ 33 ¹³ / ₁₆	21323 1¼ 34

								
176	21208 1 $\frac{1}{4}$ 34 $\frac{3}{4}$	21273 1 $\frac{1}{4}$ 34 $\frac{15}{16}$	21437 1 $\frac{1}{4}$ 35 $\frac{1}{4}$	21753 1 $\frac{1}{4}$ 36	22358 1 $\frac{1}{4}$ 36 $\frac{3}{16}$	21707 1 $\frac{1}{4}$ 37 $\frac{15}{16}$	22231 1 $\frac{1}{4}$ 38	21775 1 $\frac{1}{4}$ 39

Molded Coolant Hose Dimensions


Listed in order by Inside Diameter (inches) and Length (inches)

177								
	21209 1 $\frac{1}{4}$ 39 $\frac{5}{16}$	22080 1 $\frac{1}{4}$ 40	22172 1 $\frac{1}{4}$ 42 $\frac{5}{8}$	22027 1 $\frac{1}{4}$ 44 $\frac{1}{4}$	22525 1 $\frac{1}{4}$ 44 $\frac{13}{16}$	22436 1 $\frac{1}{4}$ 47 $\frac{13}{16}$	22281 1 $\frac{1}{4}$ X 1 $\frac{1}{4}$ 19 $\frac{13}{16}$	22808 1 $\frac{1}{4}$ X 1 $\frac{1}{4}$ 32 $\frac{13}{16}$
								
	21140 1 $\frac{1}{4}$ X 1 $\frac{5}{16}$ 11 $\frac{1}{8}$	21326 1 $\frac{1}{4}$ X 1 $\frac{5}{16}$ 11 $\frac{5}{8}$	22212 1 $\frac{1}{4}$ X 1 $\frac{5}{16}$ 14 $\frac{5}{16}$	22128 1 $\frac{1}{4}$ X 1 $\frac{5}{16}$ 16	22114 1 $\frac{1}{4}$ X 1 $\frac{5}{16}$ 16 $\frac{1}{8}$	22127 1 $\frac{1}{4}$ X 1 $\frac{5}{16}$ 16 $\frac{1}{4}$	21728 1 $\frac{1}{4}$ X 1 $\frac{5}{16}$ 16 $\frac{5}{8}$	21361 1 $\frac{1}{4}$ X 1 $\frac{5}{16}$ 17 $\frac{5}{16}$
								
	22409 1 $\frac{1}{4}$ X 1 $\frac{5}{16}$ 17 $\frac{11}{16}$							
								
	20700 1 $\frac{1}{4}$ X 1 $\frac{5}{16}$ 18 $\frac{7}{16}$	21979 1 $\frac{1}{4}$ X 1 $\frac{5}{16}$ 19 $\frac{3}{8}$	22002 1 $\frac{1}{4}$ X 1 $\frac{5}{16}$ 20 $\frac{15}{16}$	22057 1 $\frac{1}{4}$ X 1 $\frac{5}{16}$ 22 $\frac{13}{16}$	22121 1 $\frac{1}{4}$ X 1 $\frac{5}{16}$ 29	22085 1 $\frac{1}{4}$ X 1 $\frac{5}{16}$ 45 $\frac{1}{8}$	22500 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 9 $\frac{13}{16}$	22998 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 10 $\frac{1}{2}$
								
	21632 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 10 $\frac{15}{16}$							
178								
	21465 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 11 $\frac{3}{4}$	22460 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 12 $\frac{1}{8}$	21530 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 12 $\frac{1}{4}$	21967 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 14 $\frac{1}{4}$	21333 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 16 $\frac{13}{16}$	22000 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 16 $\frac{13}{16}$	21858 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 17 $\frac{3}{4}$	21033 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 21 $\frac{1}{4}$
								
	21837 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 22							
180								
	21465 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 11 $\frac{3}{4}$	22460 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 12 $\frac{1}{8}$	21530 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 12 $\frac{1}{4}$	21967 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 14 $\frac{1}{4}$	21333 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 16 $\frac{13}{16}$	22000 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 16 $\frac{13}{16}$	21858 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 17 $\frac{3}{4}$	21033 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 21 $\frac{1}{4}$
								
	21837 1 $\frac{1}{4}$ X 1 $\frac{3}{8}$ 22							


Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)


181




182



183




















184












Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

185									
	23183 1 1/4 X 1 1/2 12 13/16	23026 1 1/4 X 1 1/2 13 3/16	21587 1 1/4 X 1 1/2 13 3/4	20791 1 1/4 X 1 1/2 14 1/4	20698 1 1/4 X 1 1/2 14 1/2	22201 1 1/4 X 1 1/2 14 1/2	20797 1 1/4 X 1 1/2 14 5/8	22023 1 1/4 X 1 1/2 15 1/8	22227 1 1/4 X 1 1/2 15 1/4

186								
	22200 1 1/4 X 1 1/2 15 7/16	21272 1 1/4 X 1 1/2 15 5/8	21103 1 1/4 X 1 1/2 15 3/4	22019 1 1/4 X 1 1/2 15 15/16	21646 1 1/4 X 1 1/2 16 1/8	21723 1 1/4 X 1 1/2 16 1/4	22001 1 1/4 X 1 1/2 16 1/4	20855 1 1/4 X 1 1/2 16 5/16

187									
	21885 1 1/4 X 1 1/2 16 7/16	21484 1 1/4 X 1 1/2 16 13/16	21597 1 1/4 X 1 1/2 17	21479 1 1/4 X 1 1/2 17 1/4	21594 1 1/4 X 1 1/2 17 1/4	23028 1 1/4 X 1 1/2 17 9/16	22629 1 1/4 X 1 1/2 17 15/16	20451 1 1/4 X 1 1/2 17 15/16	21482 1 1/4 X 1 1/2 18

188									
	21609 1 1/4 X 1 1/2 18 3/8	21489 1 1/4 X 1 1/2 18 1/4	22117 1 1/4 X 1 1/2 18 1/2	21282 1 1/4 X 1 1/2 18 13/16	22912 1 1/4 X 1 1/2 19 3/32	21160 1 1/4 X 1 1/2 19 1/8	22731 1 1/4 X 1 1/2 19 1/4	21087 1 1/4 X 1 1/2 19 5/16	20946 1 1/4 X 1 1/2 19 1/2

Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

189

21835
1 1/4 X 1 1/2
19 3/4

21619
1 1/4 X 1 1/2
19 15/16

20706
1 1/4 X 1 1/2
20 1/4

21193
1 1/4 X 1 1/2
20 1/4

21385
1 1/4 X 1 1/2
20 1/4

21337
1 1/4 X 1 1/2
20 5/8

21990
1 1/4 X 1 1/2
20 13/16

21970
1 1/4 X 1 1/2
20 15/16

21060
1 1/4 X 1 1/2
21

190

21416
1 1/4 X 1 1/2
21

21727
1 1/4 X 1 1/2
21 1/8

21769
1 1/4 X 1 1/2
21 1/8

21345
1 1/4 X 1 1/2
21 1/8

21201
1 1/4 X 1 1/2
21 13/16

21166
1 1/4 X 1 1/2
21 15/16

21758
1 1/4 X 1 1/2
22 1/4

21558
1 1/4 X 1 1/2
22 15/16

22040
1 1/4 X 1 1/2
23 1/8

191

21332
1 1/4 X 1 1/2
24

21481
1 1/4 X 1 1/2
24 1/4

23098
1 1/4 X 1 1/2
24 13/32

21310
1 1/4 X 1 1/2
25 1/8

21199
1 1/4 X 1 1/2
25 13/16

21159
1 1/4 X 1 1/2
26

21138
1 1/4 X 1 1/2
26 5/16

21644
1 1/4 X 1 1/2
26 7/16

21334
1 1/4 X 1 1/2
27 1/4

192

21674
1 1/4 X 1 1/2
27 5/16

21750
1 1/4 X 1 1/2
27 1/2

21215
1 1/4 X 1 1/2
28 3/4

21167
1 1/4 X 1 1/2
28 15/16

21192
1 1/4 X 1 1/2
28 15/16

21639
1 1/4 X 1 1/2
29 1/8

21649
1 1/4 X 1 1/2
29 1/8

21659
1 1/4 X 1 1/2
29 1/8

21773
1 1/4 X 1 1/2
29 13/16


Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

193




194



195







































196



Molded Coolant Hose Dimensions










Listed in order by Inside Diameter (inches) and Length (inches)










197									
	20995 1 $\frac{1}{4}$ X 1 $\frac{9}{16}$ 36 $\frac{1}{2}$	21629 1 $\frac{1}{4}$ X 1 $\frac{5}{8}$ 13 $\frac{3}{4}$	22510 1 $\frac{1}{4}$ X 1 $\frac{5}{8}$ 15	21630 1 $\frac{1}{4}$ X 1 $\frac{5}{8}$ 18 $\frac{15}{16}$	21635 1 $\frac{1}{4}$ X 1 $\frac{5}{8}$ 19 $\frac{7}{16}$	21450 1 $\frac{1}{4}$ X 1 $\frac{5}{8}$ 20 $\frac{1}{4}$	21172 1 $\frac{1}{4}$ X 1 $\frac{5}{8}$ 23 $\frac{5}{16}$	22464 1 $\frac{1}{4}$ X 1 $\frac{5}{8}$ 24 $\frac{5}{8}$	21401 1 $\frac{1}{4}$ X 1 $\frac{5}{8}$ 32 $\frac{3}{4}$
									
	21490 1 $\frac{1}{4}$ X 1 $\frac{11}{16}$ 13 $\frac{13}{16}$	21384 1 $\frac{1}{4}$ X 1 $\frac{11}{16}$ 18 $\frac{3}{4}$	21396 1 $\frac{1}{4}$ X 1 $\frac{3}{4}$ 15 $\frac{5}{16}$	22267 1 $\frac{1}{4}$ X 1 $\frac{3}{4}$ 21 $\frac{1}{2}$	22175 1 $\frac{1}{4}$ X 1 $\frac{3}{4}$ 30 $\frac{5}{8}$	22822 1 $\frac{9}{32}$ 15 $\frac{13}{32}$	23228 1 $\frac{9}{32}$ 17 $\frac{3}{16}$	22972 1 $\frac{9}{32}$ 17 $\frac{1}{2}$	23078 1 $\frac{9}{32}$ 17 $\frac{13}{16}$
									
	23080 1 $\frac{9}{32}$ 21 $\frac{3}{16}$	23081 1 $\frac{9}{32}$ X 1 $\frac{3}{8}$ 9 $\frac{1}{2}$	23120 1 $\frac{9}{32}$ X 1 $\frac{1}{2}$ 36 $\frac{1}{2}$	23061 1 $\frac{9}{32}$ X 1 $\frac{17}{32}$ 38 $\frac{11}{16}$	20563 1 $\frac{5}{16}$ 6 $\frac{5}{16}$	20877 1 $\frac{5}{16}$ 8 $\frac{1}{2}$	22531 1 $\frac{5}{16}$ 9 $\frac{1}{8}$	22534 1 $\frac{5}{16}$ 9 $\frac{13}{16}$	22967 1 $\frac{5}{16}$ 10
									
	22652 1 $\frac{5}{16}$ 10 $\frac{1}{8}$	22563 1 $\frac{5}{16}$ 10 $\frac{3}{8}$	22186 1 $\frac{5}{16}$ 10 $\frac{1}{2}$	21734 1 $\frac{5}{16}$ 10 $\frac{13}{16}$	22721 1 $\frac{5}{16}$ 10 $\frac{7}{8}$	22925 1 $\frac{5}{16}$ 10 $\frac{7}{8}$	22963 1 $\frac{5}{16}$ 11	22794 1 $\frac{5}{16}$ 11 $\frac{1}{8}$	22346 1 $\frac{5}{16}$ 11 $\frac{3}{16}$
200									

Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

201									
	22459	23059	22928	23242	23030	20808	22325	22632	21353
	1 $\frac{5}{16}$ 11 $\frac{1}{2}$	1 $\frac{5}{16}$ 11 $\frac{19}{32}$	1 $\frac{5}{16}$ 11 $\frac{11}{16}$	1 $\frac{5}{16}$ 11 $\frac{11}{16}$	1 $\frac{5}{16}$ 11 $\frac{13}{16}$	1 $\frac{5}{16}$ 11 $\frac{15}{16}$	1 $\frac{5}{16}$ 12	1 $\frac{5}{16}$ 12	1 $\frac{5}{16}$ 12 $\frac{1}{4}$

202									
	22689	22688	21744	21174	21982	22973	22522	22453	22320
	1 $\frac{5}{16}$ 12 $\frac{1}{2}$	1 $\frac{5}{16}$ 12 $\frac{5}{8}$	1 $\frac{5}{16}$ 12 $\frac{3}{4}$	1 $\frac{5}{16}$ 12 $\frac{13}{16}$	1 $\frac{5}{16}$ 12 $\frac{13}{16}$	1 $\frac{5}{16}$ 12 $\frac{13}{16}$	1 $\frac{5}{16}$ 13 $\frac{3}{16}$	1 $\frac{5}{16}$ 13 $\frac{1}{4}$	1 $\frac{5}{16}$ 13 $\frac{9}{16}$










203									
	22347	22884	22524	21980	22073	22976	22589	22326	22557
	1 $\frac{5}{16}$ 13 $\frac{5}{8}$	1 $\frac{5}{16}$ 13 $\frac{5}{8}$	1 $\frac{5}{16}$ 13 $\frac{11}{16}$	1 $\frac{5}{16}$ 13 $\frac{3}{4}$	1 $\frac{5}{16}$ 13 $\frac{13}{16}$	1 $\frac{5}{16}$ 13 $\frac{13}{16}$	1 $\frac{5}{16}$ 13 $\frac{3}{8}$	1 $\frac{5}{16}$ 14	1 $\frac{5}{16}$ 14










204									
	22975	22977	22985	22246	22983	22011	22078	22523	22906
	1 $\frac{5}{16}$ 14	1 $\frac{5}{16}$ 14	1 $\frac{5}{16}$ 14	1 $\frac{5}{16}$ 14 $\frac{1}{8}$	1 $\frac{5}{16}$ 14 $\frac{3}{16}$	1 $\frac{5}{16}$ 14 $\frac{1}{4}$	1 $\frac{5}{16}$ 14 $\frac{1}{4}$	1 $\frac{5}{16}$ 14 $\frac{9}{16}$	1 $\frac{5}{16}$ 14 $\frac{7}{16}$










Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

205									
	23240	22827	21745	22072	21778	22183	22904	23093	23254
	$1\frac{5}{16}$ $14\frac{1}{2}$	$1\frac{5}{16}$ $14\frac{5}{8}$	$1\frac{5}{16}$ $14\frac{3}{4}$	$1\frac{5}{16}$ $14\frac{3}{4}$	$1\frac{5}{16}$ $14\frac{13}{16}$	$1\frac{5}{16}$ $14\frac{13}{16}$	$1\frac{5}{16}$ 15	$1\frac{5}{16}$ $15\frac{3}{32}$	$1\frac{5}{16}$ $15\frac{3}{32}$

206									
	21951	23092	22560	22552	23117	22965	22730	22868	21622
	$1\frac{5}{16}$ $15\frac{1}{8}$	$1\frac{5}{16}$ $15\frac{3}{16}$	$1\frac{5}{16}$ $15\frac{5}{16}$	$1\frac{5}{16}$ $15\frac{5}{8}$	$1\frac{5}{16}$ $15\frac{13}{32}$	$1\frac{5}{16}$ $15\frac{13}{32}$	$1\frac{5}{16}$ $15\frac{11}{16}$	$1\frac{5}{16}$ $15\frac{11}{16}$	$1\frac{5}{16}$ $15\frac{13}{16}$

207									
	22647	23046	22627	22659	21312	21959	22720	23021	21610
	$1\frac{5}{16}$ $15\frac{13}{16}$	$1\frac{5}{16}$ $15\frac{13}{16}$	$1\frac{5}{16}$ $15\frac{7}{8}$	$1\frac{5}{16}$ $15\frac{7}{8}$	$1\frac{5}{16}$ 16	$1\frac{5}{16}$ $16\frac{1}{4}$	$1\frac{5}{16}$ $16\frac{1}{4}$	$1\frac{5}{16}$ $16\frac{13}{32}$	$1\frac{5}{16}$ $16\frac{7}{16}$

208									
	21756	21948	22888	22826	23111	22753	21445	21703	22844
	$1\frac{5}{16}$ $16\frac{1}{16}$	$1\frac{5}{16}$ $16\frac{7}{16}$	$1\frac{5}{16}$ $16\frac{5}{8}$	$1\frac{5}{16}$ $16\frac{11}{16}$	$1\frac{5}{16}$ $16\frac{13}{16}$	$1\frac{5}{16}$ $16\frac{15}{16}$	$1\frac{5}{16}$ $17\frac{1}{8}$	$1\frac{5}{16}$ $17\frac{1}{8}$	$1\frac{5}{16}$ $17\frac{3}{16}$

Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

209



22397	22995	21170	22970	22656	22185	21813	22687	22153
$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$
$17\frac{5}{16}$	$17\frac{5}{16}$	$17\frac{5}{16}$	$17\frac{19}{32}$	$17\frac{5}{8}$	$17\frac{3}{4}$	$17\frac{13}{16}$	$17\frac{13}{16}$	$18\frac{5}{16}$

210



22269	22014	22197	22379	22633	22686	22056	22905	22070
$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$
$18\frac{3}{16}$	$18\frac{1}{4}$	$18\frac{1}{4}$	$18\frac{1}{4}$	$18\frac{5}{16}$	$18\frac{5}{16}$	$18\frac{1}{2}$	$18\frac{11}{16}$	$18\frac{13}{16}$

211



22899	22814	22974	22029	22332	22309	22696	22015	22054
$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$
$18\frac{13}{16}$	$18\frac{15}{16}$	$19\frac{3}{32}$	$19\frac{5}{8}$	$19\frac{5}{8}$	$19\frac{3}{16}$	$19\frac{3}{16}$	$19\frac{1}{4}$	$19\frac{5}{16}$





































212



22660	22587	23058	22845	22964	21848	22416	23047	22064
$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$	$1\frac{5}{16}$
$19\frac{3}{8}$	$19\frac{1}{2}$	$19\frac{19}{32}$	$19\frac{11}{16}$	$19\frac{11}{16}$	$19\frac{13}{16}$	$19\frac{13}{16}$	$19\frac{29}{32}$	$19\frac{15}{16}$





































Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

213									
	22568 1 ⁵ / ₁₆ 19 ¹⁵ / ₁₆	22758 1 ⁵ / ₁₆ 19 ¹⁵ / ₁₆	22800 1 ⁵ / ₁₆ 19 ¹⁵ / ₁₆	22167 1 ⁵ / ₁₆ 20	23238 1 ⁵ / ₁₆ 20 ³ / ₃₂	22968 1 ⁵ / ₁₆ 20 ³ / ₁₆	22052 1 ⁵ / ₁₆ 20 ⁵ / ₁₆	22342 1 ⁵ / ₁₆ 20 ⁵ / ₁₆	22535 1 ⁵ / ₁₆ 20 ⁵ / ₁₆
214									
	22966 1 ⁵ / ₁₆ 20 ¹³ / ₃₂	22048 1 ⁵ / ₁₆ 20 ⁷ / ₁₆	22113 1 ⁵ / ₁₆ 20 ⁷ / ₁₆	22723 1 ⁵ / ₁₆ 20 ⁷ / ₁₆	22462 1 ⁵ / ₁₆ 20 ¹ / ₂	22475 1 ⁵ / ₁₆ 20 ¹ / ₂	22902 1 ⁵ / ₁₆ 20 ¹ / ₂	22934 1 ⁵ / ₁₆ 20 ¹ / ₂	22492 1 ⁵ / ₁₆ 20 ⁵ / ₈
215									
	22759 1 ⁵ / ₁₆ 20 ⁵ / ₈	22145 1 ⁵ / ₁₆ 20 ³ / ₄	22071 1 ⁵ / ₁₆ 20 ¹³ / ₁₆	22622 1 ⁵ / ₁₆ 20 ¹³ / ₁₆	22901 1 ⁵ / ₁₆ 20 ¹³ / ₁₆	22184 1 ⁵ / ₁₆ 21	22658 1 ⁵ / ₁₆ 21	22825 1 ⁵ / ₁₆ 21 ¹ / ₈	22327 1 ⁵ / ₁₆ 21 ³ / ₁₆
216									
	23048 1 ⁵ / ₁₆ 21 ³ / ₁₆	21352 1 ⁵ / ₁₆ 21 ⁷ / ₁₆	22028 1 ⁵ / ₁₆ 21 ⁵ / ₈	22564 1 ⁵ / ₁₆ 21 ⁵ / ₈	22978 1 ⁵ / ₁₆ 21 ¹¹ / ₁₆	22918 1 ⁵ / ₁₆ 21 ¹³ / ₁₆	21737 1 ⁵ / ₁₆ 22	21780 1 ⁵ / ₁₆ 22	22929 1 ⁵ / ₁₆ 22 ³ / ₈










Molded Coolant Hose Dimensions








Listed in order by Inside Diameter (inches) and Length (inches)

217									
	21720	22258	22887	22146	23022	20783	21672	22055	22620
	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆
	22 ⁵ / ₁₆	22 ⁷ / ₁₆	22 ⁵ / ₈	22 ³ / ₄	22 ²⁹ / ₃₂	22 ¹⁵ / ₁₆	23 ¹ / ₈	23 ³ / ₁₆	23 ³ / ₁₆
218									
	21716	21351	22936	22152	22331	23063	22147	22306	22935
	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆
	23 ¹ / ₄	23 ⁵ / ₁₆	23 ⁵ / ₁₆	23 ⁵ / ₁₆	23 ⁵ / ₈	23 ¹¹ / ₁₆	23 ³ / ₄	23 ¹⁵ / ₁₆	24 ³ / ₁₆
219									
	21414	23249	22130	22259	22532	22473	22026	22914	22869
	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆
	24 ⁵ / ₁₆	24 ¹³ / ₃₂	24 ¹ / ₂	24 ¹ / ₂	24 ¹¹ / ₁₆	24 ⁷ / ₈	24 ¹⁵ / ₁₆	25 ³ / ₃₂	25 ³ / ₁₆
220									
	23083	21873	22821	22986	22747	21921	21715	22260	22799
	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆	1 ⁵ / ₁₆
	25 ¹³ / ₃₂	25 ¹ / ₂	25 ¹ / ₂	25 ⁵ / ₈	25 ¹¹ / ₁₆	25 ¹³ / ₁₆	26	26 ¹ / ₂	26 ¹³ / ₁₆









Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

221									
	22984 1 ⁵ / ₁₆ 26 ¹³ / ₁₆	22987 1 ⁵ / ₁₆ 26 ¹³ / ₁₆	22480 1 ⁵ / ₁₆ 27	21162 1 ⁵ / ₁₆ 27 ³ / ₄	22922 1 ⁵ / ₁₆ 28 ⁷ / ₁₆	22123 1 ⁵ / ₁₆ 28 ¹ / ₂	21870 1 ⁵ / ₁₆ 28 ⁵ / ₈	22916 1 ⁵ / ₁₆ 28 ¹³ / ₁₆	23118 1 ⁵ / ₁₆ 29 ¹¹ / ₁₆


































222								
	22957 1 ⁵ / ₁₆ 29 ¹³ / ₁₆	22628 1 ⁵ / ₁₆ 30 ³ / ₈	22124 1 ⁵ / ₁₆ 30 ¹⁵ / ₁₆	22982 1 ⁵ / ₁₆ 31 ¹ / ₂	22760 1 ⁵ / ₁₆ 31 ¹³ / ₁₆	22435 1 ⁵ / ₁₆ 32 ¹ / ₈	22572 1 ⁵ / ₁₆ 32 ¹¹ / ₁₆	23027 1 ⁵ / ₁₆ 32 ²⁹ / ₃₂

223								
	23062 1 ⁵ / ₁₆ 34 ¹⁹ / ₃₂	22937 1 ⁵ / ₁₆ 34 ¹¹ / ₁₆	22657 1 ⁵ / ₁₆ 35	22076 1 ⁵ / ₁₆ 35 ¹⁹ / ₁₆	22751 1 ⁵ / ₁₆ 37 ⁵ / ₈	22137 1 ⁵ / ₁₆ 38 ¹⁵ / ₁₆	22526 1 ⁵ / ₁₆ 40 ³ / ₈	22755 1 ⁵ / ₁₆ 41 ¹⁵ / ₁₆

224								
	22739 1 ⁵ / ₁₆ X 1 ¹ / ₄ 15 ⁷ / ₁₆	22740 1 ⁵ / ₁₆ X 1 ¹ / ₄ 25	22499 1 ⁵ / ₁₆ X 1 ³ / ₈ 17 ⁷ / ₈	22748 1 ⁵ / ₁₆ X 1 ³ / ₈ 18 ¹³ / ₁₆	22749 1 ⁵ / ₁₆ X 1 ³ / ₈ 26 ¹³ / ₁₆	20773 1 ⁵ / ₁₆ X 1 ⁷ / ₁₆ 10 ³ / ₄	22501 1 ⁵ / ₁₆ X 1 ⁷ / ₁₆ 13 ³ / ₁₆	22493 1 ⁵ / ₁₆ X 1 ⁷ / ₁₆ 14 ³ / ₈



































Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

225									
	22488	22673	22232	22424	22611	23239	21634	22588	22911
	1 $\frac{5}{16}$ X 1 $\frac{1}{16}$	1 $\frac{5}{16}$ X 1 $\frac{1}{16}$	1 $\frac{5}{16}$ X 1 $\frac{1}{16}$	1 $\frac{5}{16}$ X 1 $\frac{1}{16}$	1 $\frac{5}{16}$ X 1 $\frac{1}{16}$	1 $\frac{5}{16}$ X 1 $\frac{15}{32}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$
	15 $\frac{7}{8}$	20 $\frac{1}{8}$	23 $\frac{7}{16}$	24	25	21 $\frac{13}{16}$	3 $\frac{5}{8}$	9 $\frac{7}{8}$	11 $\frac{3}{16}$
226									
	22626	23024	23025	22926	22851	21874	23045	22612	
	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	
	12 $\frac{11}{16}$	13 $\frac{3}{16}$	16 $\frac{3}{16}$	17	17 $\frac{3}{16}$	17 $\frac{5}{16}$	17 $\frac{5}{16}$	19 $\frac{1}{8}$	
227									
	22852	21913	22625	22910	22722	23113	22224	22591	
	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	
	19 $\frac{5}{16}$	20 $\frac{1}{8}$	20 $\frac{3}{8}$	20 $\frac{19}{32}$	21 $\frac{3}{16}$	21 $\frac{13}{32}$	21 $\frac{5}{8}$	24 $\frac{7}{8}$	
228									
	21675	22643	23029	22881	23094	21865	22075	23031	
	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	1 $\frac{5}{16}$ X 1 $\frac{1}{2}$	
	25 $\frac{5}{8}$	27 $\frac{5}{8}$	27 $\frac{29}{32}$	28 $\frac{5}{8}$	30 $\frac{13}{16}$	31 $\frac{13}{16}$	34	36 $\frac{1}{2}$	










Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)










229								
	22004 1 ⁵ / ₁₆ X 1 ¹ / ₂ 38 ⁵ / ₈	22225 1 ⁵ / ₁₆ X 1 ¹ / ₂ 41 ⁷ / ₁₆	21887 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 5 ¹⁵ / ₁₆	21815 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 6 ⁵ / ₁₆	21866 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 9 ¹ / ₈	22279 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 10 ¹ / ₂	22472 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 13 ¹¹ / ₁₆	21486 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 13 ¹³ / ₁₆
								
	21572 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 13 ¹⁵ / ₁₆	22235 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 14	22405 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 14 ¹ / ₂	22648 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 14 ⁵ / ₈	21905 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 14 ¹⁵ / ₁₆	22275 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 18 ¹ / ₄	22478 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 20	22236 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 20 ¹³ / ₁₆
								
	21965 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 24 ¹ / ₄	22378 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 25 ⁵ / ₈	22074 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 28 ¹⁵ / ₁₆	22651 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 30	21878 1 ⁵ / ₁₆ X 1 ⁹ / ₁₆ 41 ⁵ / ₁₆	22089 1 ⁵ / ₁₆ X 1 ⁵ / ₈ 10 ¹³ / ₁₆	22930 1 ⁵ / ₁₆ X 1 ⁵ / ₈ 12 ⁹ / ₁₆	22932 1 ⁵ / ₁₆ X 1 ¹¹ / ₁₆ 10 ¹³ / ₁₆
								
	22931 1 ⁵ / ₁₆ X 1 ¹¹ / ₁₆ 12 ²⁹ / ₃₂	22981 1 ¹¹ / ₃₂ 14 ²⁹ / ₃₂	23244 1 ¹¹ / ₃₂ 18 ¹³ / ₃₂	23253 1 ¹¹ / ₃₂ 18 ¹⁹ / ₃₂	23082 1 ¹¹ / ₃₂ X 1 ¹⁷ / ₃₂ 6 ¹³ / ₃₂	20758 1 ⁵ / ₈ X 1 ³ / ₄ 16 ¹ / ₈	21656 1 ⁵ / ₈ X 1 ³ / ₄ 16 ⁵ / ₁₆	20759 1 ⁵ / ₈ X 1 ³ / ₄ 16 ⁷ / ₁₆
232								
	20981 1 ⁵ / ₈ X 1 ⁷ / ₈ 18 ⁷ / ₁₆	21812 1 ⁵ / ₈ X 2 ¹ / ₄ 22 ¹ / ₂						









Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

233									
	22573 1 ³ / ₈ 5 ⁵ / ₈	21457 1 ³ / ₈ 5 ⁵ / ₈	21527 1 ³ / ₈ 9	23243 1 ³ / ₈ 9	20776 1 ³ / ₈ 9 ¹ / ₂	22517 1 ³ / ₈ 10 ⁷ / ₈	21497 1 ³ / ₈ 11 ¹ / ₄	22422 1 ³ / ₈ 11 ⁷ / ₈	22515 1 ³ / ₈ 12 ³ / ₁₆


































234									
	21500 1 ³ / ₈ 12 ⁵ / ₁₆	22411 1 ³ / ₈ 12 ⁵ / ₁₆	21398 1 ³ / ₈ 13 ⁵ / ₈	21356 1 ³ / ₈ 14 ¹ / ₂	22619 1 ³ / ₈ 15 ⁷ / ₈	21231 1 ³ / ₈ 16	22871 1 ³ / ₈ 16 ¹ / ₂	21935 1 ³ / ₈ 16 ⁵ / ₈	21498 1 ³ / ₈ 16 ¹⁵ / ₁₆

235									
	22866 1 ³ / ₈ 17 ⁵ / ₁₆	22618 1 ³ / ₈ 17 ³ / ₈	22865 1 ³ / ₈ 17 ¹ / ₂	22617 1 ³ / ₈ 18 ⁵ / ₁₆	22890 1 ³ / ₈ 18 ¹ / ₂	22889 1 ³ / ₈ 19 ³ / ₁₆	22412 1 ³ / ₈ 20 ¹¹ / ₁₆	21449 1 ³ / ₈ 22 ³ / ₄	22088 1 ³ / ₈ 22 ¹⁵ / ₁₆

236								
	21232 1 ³ / ₈ 23	21973 1 ³ / ₈ 23 ³ / ₈	22870 1 ³ / ₈ 23 ¹⁵ / ₁₆	22621 1 ³ / ₈ 24 ¹ / ₈	21596 1 ³ / ₈ 24 ⁹ / ₁₆	23064 1 ³ / ₈ 24 ⁵ / ₈	21496 1 ³ / ₈ 25	21506 1 ³ / ₈ 25

Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

237									
	21975 $1\frac{3}{8}$ 25 $\frac{13}{16}$	21501 $1\frac{3}{8}$ 25 $\frac{19}{16}$	22481 $1\frac{3}{8}$ 27 $\frac{9}{16}$	22891 $1\frac{3}{8}$ 31 $\frac{3}{16}$	22635 $1\frac{3}{8} \times 1\frac{7}{16}$ 17 $\frac{7}{8}$	21651 $1\frac{3}{8} \times 1\frac{1}{2}$ 10 $\frac{1}{8}$	20805 $1\frac{3}{8} \times 1\frac{1}{2}$ 15	22284 $1\frac{3}{8} \times 1\frac{1}{2}$ 23 $\frac{3}{4}$	21440 $1\frac{3}{8} \times 1\frac{1}{2}$ 24 $\frac{7}{16}$
									
	21834 $1\frac{3}{8} \times 1\frac{1}{2}$ 26 $\frac{1}{2}$	21429 $1\frac{3}{8} \times 1\frac{1}{2}$ 27 $\frac{13}{16}$	22593 $1\frac{3}{8} \times 1\frac{1}{2}$ 34 $\frac{9}{16}$	22084 $1\frac{3}{8} \times 1\frac{1}{2}$ 46 $\frac{15}{16}$	21914 $1\frac{3}{8} \times 1\frac{9}{16}$ 8 $\frac{1}{8}$	20786 $1\frac{3}{8} \times 1\frac{9}{16}$ 14 $\frac{1}{2}$	22234 $1\frac{3}{8} \times 1\frac{9}{16}$ 15 $\frac{3}{4}$	20928 $1\frac{3}{8} \times 1\frac{9}{16}$ 16 $\frac{7}{16}$	
									
	21499 $1\frac{3}{8} \times 1\frac{9}{16}$ 20 $\frac{15}{16}$	21966 $1\frac{3}{8} \times 1\frac{9}{16}$ 23 $\frac{1}{8}$	22233 $1\frac{3}{8} \times 1\frac{9}{16}$ 24	21960 $1\frac{3}{8} \times 1\frac{9}{16}$ 25 $\frac{1}{8}$	21624 $1\frac{3}{8} \times 1\frac{9}{16}$ 26 $\frac{13}{16}$	21934 $1\frac{3}{8} \times 1\frac{5}{8}$ 9 $\frac{1}{8}$	21666 $1\frac{3}{8} \times 1\frac{5}{8}$ 10 $\frac{7}{16}$	22574 $1\frac{3}{8} \times 1\frac{5}{8}$ 12 $\frac{1}{2}$	
									
	22585 $1\frac{3}{8} \times 1\frac{5}{8}$ 12 $\frac{13}{16}$	22581 $1\frac{3}{8} \times 1\frac{5}{8}$ 16 $\frac{5}{16}$	22575 $1\frac{3}{8} \times 1\frac{5}{8}$ 17 $\frac{3}{8}$	22580 $1\frac{3}{8} \times 1\frac{5}{8}$ 19 $\frac{1}{8}$	22583 $1\frac{3}{8} \times 1\frac{5}{8}$ 28	21224 $1\frac{3}{8} \times 1\frac{11}{16}$ 30 $\frac{3}{4}$	21749 $1\frac{3}{8} \times 1\frac{3}{4}$ 14 $\frac{9}{16}$	21922 $1\frac{3}{8} \times 1\frac{3}{4}$ 17	

Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

241

21590
1³/₈ X 2¹/₂
12¹/₂

22802
1⁷/₁₆
6⁵/₁₆

22545
1⁷/₁₆
7¹/₂

21652
1⁷/₁₆
10¹³/₁₆

22051
1⁷/₁₆
11⁵/₈

22543
1⁷/₁₆
13¹¹/₁₆

22132
1⁷/₁₆
14¹/₈

22509
1⁷/₁₆
15

22377
1⁷/₁₆
15⁵/₁₆

242

22547
1⁷/₁₆
15¹/₂

22672
1⁷/₁₆
16³/₁₆

22790
1⁷/₁₆
16¹/₂

22449
1⁷/₁₆
16¹¹/₁₆

21976
1⁷/₁₆
17⁵/₈

22544
1⁷/₁₆
18

22817
1⁷/₁₆
18¹/₈

21543
1⁷/₁₆
18¹/₄

22489
1⁷/₁₆
18⁵/₁₆

243

22942
1⁷/₁₆
18¹⁹/₃₂

22586
1⁷/₁₆
18³/₈

22691
1⁷/₁₆
19³/₁₆

22546
1⁷/₁₆
19⁵/₈

22680
1⁷/₁₆
19⁵/₈

22058
1⁷/₁₆
20¹/₈

22567
1⁷/₁₆
20³/₁₆

22122
1⁷/₁₆
21¹/₄

21898
1⁷/₁₆
21¹³/₁₆

244

22150
1⁷/₁₆
22⁵/₈

22674
1⁷/₁₆
22⁵/₈

22530
1⁷/₁₆
23⁷/₁₆

22681
1⁷/₁₆
24⁹/₁₆

22024
1⁷/₁₆
24¹/₂

22044
1⁷/₁₆
25⁵/₈









22789
1⁷/₁₆
25¹¹/₁₆









22376
1⁷/₁₆
26⁵/₁₆







Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

245									
	22020 $1\frac{7}{16}$ $27\frac{7}{8}$	22035 $1\frac{7}{16}$ $27\frac{7}{16}$	22144 $1\frac{7}{16}$ $28\frac{15}{16}$	21900 $1\frac{7}{16}$ $29\frac{7}{16}$	22245 $1\frac{7}{16}$ $35\frac{1}{4}$	22043 $1\frac{7}{16}$ $36\frac{1}{4}$	22156 $1\frac{7}{16} \times 1\frac{1}{2}$ $14\frac{1}{8}$	22592 $1\frac{7}{16} \times 1\frac{1}{2}$ $16\frac{1}{8}$	21623 $1\frac{7}{16} \times 1\frac{1}{2}$ $16\frac{5}{8}$










246								
	21886 $1\frac{7}{16} \times 1\frac{1}{2}$ $17\frac{5}{8}$	21736 $1\frac{7}{16} \times 1\frac{1}{2}$ $19\frac{1}{4}$	21575 $1\frac{7}{16} \times 1\frac{1}{2}$ $21\frac{15}{16}$	22594 $1\frac{7}{16} \times 1\frac{1}{2}$ $27\frac{3}{8}$	22066 $1\frac{7}{16} \times 1\frac{1}{2}$ $37\frac{1}{4}$	22050 $1\frac{7}{16} \times 1\frac{9}{16}$ $6\frac{5}{8}$	22590 $1\frac{7}{16} \times 1\frac{9}{16}$ $12\frac{1}{2}$	22584 $1\frac{7}{16} \times 1\frac{9}{16}$ $12\frac{5}{8}$










247								
	22728 $1\frac{7}{16} \times 1\frac{9}{16}$ $29\frac{7}{16}$	22878 $1\frac{7}{16} \times 1\frac{5}{8}$ $16\frac{1}{8}$	22582 $1\frac{7}{16} \times 1\frac{5}{8}$ $19\frac{1}{2}$	21447 $1\frac{7}{16} \times 1\frac{5}{8}$ $19\frac{5}{8}$	21655 $1\frac{7}{16} \times 1\frac{5}{8}$ $20\frac{5}{16}$	22491 $1\frac{7}{16} \times 1\frac{5}{8}$ $24\frac{1}{2}$	22941 $1\frac{7}{16} \times 1\frac{21}{32}$ 34	22735 $1\frac{7}{16} \times 1\frac{11}{16}$ $16\frac{1}{16}$


248								
	21225 $1\frac{7}{16} \times 1\frac{11}{16}$ $17\frac{1}{2}$	22900 $1\frac{7}{16} \times 1\frac{11}{16}$ $20\frac{3}{8}$	23250 $1\frac{7}{16} \times 1\frac{3}{4}$ $5\frac{19}{32}$	22940 $1\frac{7}{16} \times 1\frac{3}{4}$ $12\frac{1}{2}$	21615 $1\frac{7}{16} \times 1\frac{13}{16}$ $20\frac{13}{16}$	23112 $1\frac{7}{16} \times 1\frac{13}{16}$ $32\frac{1}{8}$	21931 $1\frac{7}{16} \times 2\frac{7}{16}$ $15\frac{15}{16}$	22923 $1\frac{15}{32}$ $14\frac{3}{16}$










Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

249									
	23018	21145	20267	23043	21735	22448	22838	20900	22811
	$1\frac{15}{32}$ $25\frac{3}{32}$	$1\frac{1}{2}$ $7\frac{5}{8}$	$1\frac{1}{2}$ $7\frac{13}{16}$	$1\frac{1}{2}$ $8\frac{13}{16}$	$1\frac{1}{2}$ $8\frac{5}{16}$	$1\frac{1}{2}$ $8\frac{3}{8}$	$1\frac{1}{2}$ $8\frac{3}{8}$	$1\frac{1}{2}$ $8\frac{5}{16}$	$1\frac{1}{2}$ $9\frac{5}{16}$


250									
	20065	22553	22638	21851	21399	22486	22494	22885	22719
	$1\frac{1}{2}$ $9\frac{13}{16}$	$1\frac{1}{2}$ 10	$1\frac{1}{2}$ $10\frac{1}{8}$	$1\frac{1}{2}$ $10\frac{1}{4}$	$1\frac{1}{2}$ $10\frac{5}{16}$	$1\frac{1}{2}$ $10\frac{5}{8}$	$1\frac{1}{2}$ $10\frac{11}{16}$	$1\frac{1}{2}$ $10\frac{11}{16}$	$1\frac{1}{2}$ $10\frac{13}{16}$

251									
	21203	20450	22496	20945	22364	22803	21435	21852	20953
	$1\frac{1}{2}$ $11\frac{7}{16}$	$1\frac{1}{2}$ $11\frac{1}{2}$	$1\frac{1}{2}$ $11\frac{1}{2}$	$1\frac{1}{2}$ $11\frac{5}{8}$	$1\frac{1}{2}$ $11\frac{11}{16}$	$1\frac{1}{2}$ $11\frac{11}{16}$	$1\frac{1}{2}$ $11\frac{13}{16}$	$1\frac{1}{2}$ $12\frac{1}{4}$	$1\frac{1}{2}$ $12\frac{5}{16}$

252									
	22497	22498	23037	20294	20473	23041	23055	20166	22993
	$1\frac{1}{2}$ $12\frac{9}{16}$	$1\frac{1}{2}$ $12\frac{9}{16}$	$1\frac{1}{2}$ $12\frac{11}{16}$	$1\frac{1}{2}$ $12\frac{13}{16}$	$1\frac{1}{2}$ $12\frac{13}{16}$	$1\frac{1}{2}$ $12\frac{13}{16}$	$1\frac{1}{2}$ $12\frac{13}{16}$	$1\frac{1}{2}$ $12\frac{15}{16}$	$1\frac{1}{2}$ 13










Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

253									
	23172 1½ 13	20722 1½ 13½	22477 1½ 13⅜	20733 1½ 13⅝	20355 1½ 14	22639 1½ 14	22222 1½ 14⅝	20511 1½ 14⅞	21026 1½ 14⅞





































254									
	22682 1½ 14⅝	21660 1½ 15⅝	22533 1½ 15⅞	22166 1½ 15⅞	21933 1½ 15½	22350 1½ 15½	20386 1½ 15⅝	22750 1½ 15⅝	22793 1½ 15⅝

255									
	20734 1½ 15¾	21997 1½ 15⅞	20630 1½ 16	22555 1½ 16⅝	20226 1½ 16¼	22022 1½ 16¼	20982 1½ 16⅝	21974 1½ 16⅝	20594 1½ 16½

256									
	21344 1½ 16½	22363 1½ 16½	23039 1½ 16½	20088 1½ 16⅝	20540 1½ 16⅝	21576 1½ 16⅝	22886 1½ 16⅝	23053 1½ 16⅞	22220 1½ 16¾

Molded Coolant Hose Dimensions


Listed in order by Inside Diameter (inches) and Length (inches)

257									
	21106 1½ 16 ¹³ / ₁₆	20370 1½ 17	22810 1½ 17 ¹ / ₈	20230 1½ 17 ¹ / ₄	20465 1½ 17 ¹ / ₄	21278 1½ 17 ¹ / ₄	22244 1½ 17 ¹ / ₂	22447 1½ 17 ¹ / ₂	22329 1½ 17 ¹¹ / ₁₆
									
	22441 1½ 17 ¹¹ / ₁₆	22692 1½ 17 ¹¹ / ₁₆	22154 1½ 17 ¹³ / ₁₆	20121 1½ 17 ¹⁵ / ₁₆	22006 1½ 17 ¹⁵ / ₁₆	22437 1½ 18	20814 1½ 18 ¹ / ₈	21910 1½ 18 ¹ / ₈	22139 1½ 18 ¹ / ₈
									
	20720 1½ 18 ³ / ₄	20468 1½ 18 ⁷ / ₁₆	20810 1½ 18 ¹ / ₈	20994 1½ 18 ¹ / ₂	20470 1½ 18 ³ / ₄	20921 1½ 18 ³ / ₄	22495 1½ 18 ⁵ / ₈	21434 1½ 18 ¹⁵ / ₁₆	20919 1½ 19
									
	21271 1½ 19	21612 1½ 19	22155 1½ 19	22380 1½ 19 ¹ / ₈	21673 1½ 19 ⁵ / ₁₆	23054 1½ 19 ¹ / ₂	20809 1½ 19 ⁵ / ₈	20380 1½ 19 ¹³ / ₁₆	22831 1½ 20 ¹ / ₈


Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

261




262



263



264



Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

265



22392 1½ 22⅝	20836 1½ 22½	21009 1½ 22½	21945 1½ 22⅝	21157 1½ 22¾	21712 1½ 22¾	21714 1½ 22⅝	22242 1½ 22⅝	20504 1½ 23
--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	-------------------

266



20549 1½ 23	22482 1½ 23	21113 1½ 23¼	21406 1½ 23⅝	22917 1½ 23⅝	21220 1½ 23⅝	21645 1½ 23½	22958 1½ 23½	22859 1½ 23⅝
-------------------	-------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------

267



22310 1½ 23¾	21141 1½ 23⅝	20686 1½ 24⅞	20874 1½ 24¼	20607 1½ 24⅞	20541 1½ 24⅞	21052 1½ 24⅞	21998 1½ 24⅞
--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------

268




20704 1½ 24¾	21954 1½ 24⅝	22300 1½ 24⅝	22467 1½ 25⅝	20543 1½ 25⅞	20914 1½ 25⅞	21955 1½ 25⅞	21912 1½ 25½
--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------

Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)


269



270



271



272



Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

273




274



275




276




Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)


277



278



279



280



Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

281




282



283



284




Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)


285




286



287



288



Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

289

20922
1½ X 1⅞
16⅞

20705
1½ X 1⅞
17⅙

20703
1½ X 1⅞
20⅞

20954
1½ X 1⅞
21⅓

20620
1½ X 1⅞
22⅓

22706
1½ X 1⅞
23⅞

22678
1½ X 1⅞
31⅞

20452
1½ X 2
12⅞

290

20837
1½ X 2
20⅞

23095
1½ X 2
21⅓

20910
1½ X 2
29⅞

22663
1½ X 2
33⅞

22516
1⅞
4⅞

22276
1⅞
4⅓

21657
1⅞
6

21431
1⅞
12½

291

22079
1⅞
13¾

21713
1⅞
14⅞

22641
1⅞
15

21433
1⅞
15⅞

21331
1⅞
15⅞

20364
1⅞
15⅓

20753
1⅞
16

20168
1⅞
17⅞

20480
1⅞
17⅞

292

20492
1⅞
17⅞

22637
1⅞
18⅙

21260
1⅞
18⅙

22756
1⅞
19½

22804
1⅞
21⅞

22754
1⅞
22⅞

20907
1⅞
22½

20991
1⅞
28⅞

22807
1⅞
29⅞

Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

293

21425
1⁹/₁₆ X 1¹³/₁₆
13¹⁵/₁₆

22596
1⁹/₁₆ X 1¹¹/₁₆
18⁷/₈

22636
1⁹/₁₆ X 1¹¹/₁₆
15³/₈

20441
1⁹/₁₆ X 1¹¹/₁₆
18¹³/₁₆

21658
1⁹/₁₆ X 1¹¹/₁₆
20³/₄

20496
1⁹/₁₆ X 1³/₄
16¹⁵/₁₆

21364
1⁹/₁₆ X 1¹³/₁₆
17⁷/₁₆

21143
1⁹/₁₆ X 1¹³/₁₆
20¹³/₁₆

21207
1⁹/₁₆ X 1¹³/₁₆
21¹/₈

294

21329
1⁹/₁₆ X 1¹³/₁₆
24³/₄

22733
1⁹/₁₆ X 1¹⁵/₁₆
19⁷/₁₆

22439
1⁹/₁₆
13¹³/₁₆

21768
1⁹/₁₆
14¹³/₁₆

22440
1⁹/₁₆
15⁵/₁₆

23036
1⁹/₁₆ X 1³/₄
20¹⁹/₃₂

22285
1¹¹/₁₆
9⁵/₁₆

22396
1¹¹/₁₆
17⁷/₈

22151
1¹¹/₁₆
19¹/₂

295

22746
1¹¹/₁₆
21⁷/₁₆

22443
1¹¹/₁₆
22¹/₂

22083
1¹¹/₁₆
25¹/₂

22690
1¹¹/₁₆
36

21909
1¹¹/₁₆ X 1¹³/₁₆
3⁵/₈

22898
1³/₄
4⁵/₃₂

20151
1³/₄
5¹³/₁₆

20357
1³/₄
7¹⁵/₁₆

20505
1³/₄
10¹³/₁₆

296

22727
1³/₄
10¹⁵/₁₆

23044
1³/₄
11¹/₈

20242
1³/₄
11¹/₄

20747
1³/₄
12¹/₄

20764
1³/₄
12⁵/₈

20974
1³/₄
13¹³/₁₆

23042
1³/₄
14³/₁₆

22896
1³/₄
14⁵/₁₆

20475
1³/₄
14¹/₂

Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

297



20516
1 $\frac{3}{4}$
14 $\frac{5}{8}$



20958
1 $\frac{3}{4}$
15 $\frac{1}{8}$



21805
1 $\frac{3}{4}$
15 $\frac{5}{16}$



21875
1 $\frac{3}{4}$
15 $\frac{7}{16}$



20627
1 $\frac{3}{4}$
15 $\frac{1}{2}$



20663
1 $\frac{3}{4}$
16 $\frac{1}{8}$



20145
1 $\frac{3}{4}$
16 $\frac{7}{16}$



20225
1 $\frac{3}{4}$
16 $\frac{1}{2}$



22550
1 $\frac{3}{4}$
16 $\frac{1}{2}$

298



20609
1 $\frac{3}{4}$
16 $\frac{13}{16}$



22431
1 $\frac{3}{4}$
16 $\frac{7}{8}$



21801
1 $\frac{3}{4}$
17



22542
1 $\frac{3}{4}$
17



22858
1 $\frac{3}{4}$
17



22287
1 $\frac{3}{4}$
17 $\frac{3}{8}$



20637
1 $\frac{3}{4}$
17 $\frac{7}{16}$



21806
1 $\frac{3}{4}$
17 $\frac{1}{2}$



22779
1 $\frac{3}{4}$
17 $\frac{1}{2}$

299



22857
1 $\frac{3}{4}$
17 $\frac{5}{8}$



23038
1 $\frac{3}{4}$
17 $\frac{5}{8}$



20558
1 $\frac{3}{4}$
17 $\frac{3}{4}$



20489
1 $\frac{3}{4}$
17 $\frac{13}{16}$



20908
1 $\frac{3}{4}$
17 $\frac{15}{16}$



20046
1 $\frac{3}{4}$
18



20957
1 $\frac{3}{4}$
18 $\frac{1}{4}$



21064
1 $\frac{3}{4}$
18 $\frac{1}{4}$



20621
1 $\frac{3}{4}$
18 $\frac{5}{8}$

300



20345
1 $\frac{3}{4}$
18 $\frac{3}{4}$



21409
1 $\frac{3}{4}$
18 $\frac{15}{16}$



20400
1 $\frac{3}{4}$
19



20582
1 $\frac{3}{4}$
19 $\frac{1}{2}$



22551
1 $\frac{3}{4}$
19 $\frac{1}{2}$



20437
1 $\frac{3}{4}$
19 $\frac{5}{8}$



21661
1 $\frac{3}{4}$
19 $\frac{5}{8}$







































21796
1 $\frac{3}{4}$
19 $\frac{5}{8}$



21856
1 $\frac{3}{4}$
19 $\frac{5}{8}$





































Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

301									
	22693 1 $\frac{3}{4}$ 19 $\frac{11}{16}$	20417 1 $\frac{3}{4}$ 19 $\frac{3}{4}$	20365 1 $\frac{3}{4}$ 20	23040 1 $\frac{3}{4}$ 20	20612 1 $\frac{3}{4}$ 20 $\frac{1}{8}$	23067 1 $\frac{3}{4}$ 20 $\frac{1}{8}$	22316 1 $\frac{3}{4}$ 20 $\frac{1}{4}$	22695 1 $\frac{3}{4}$ 20 $\frac{1}{4}$	22158 1 $\frac{3}{4}$ 20 $\frac{5}{16}$
									
	20531 1 $\frac{3}{4}$ 20 $\frac{7}{16}$	21956 1 $\frac{3}{4}$ 20 $\frac{1}{2}$	21798 1 $\frac{3}{4}$ 20 $\frac{5}{8}$	22315 1 $\frac{3}{4}$ 20 $\frac{5}{8}$	22429 1 $\frac{3}{4}$ 20 $\frac{5}{8}$	22539 1 $\frac{3}{4}$ 20 $\frac{11}{16}$	22549 1 $\frac{3}{4}$ 21	22143 1 $\frac{3}{4}$ 21 $\frac{1}{8}$	22541 1 $\frac{3}{4}$ 21 $\frac{3}{16}$
									
	20674 1 $\frac{3}{4}$ 21 $\frac{1}{4}$	20623 1 $\frac{3}{4}$ 21 $\frac{13}{16}$	21797 1 $\frac{3}{4}$ 21 $\frac{13}{16}$	21995 1 $\frac{3}{4}$ 22	20675 1 $\frac{3}{4}$ 22 $\frac{5}{16}$	20812 1 $\frac{3}{4}$ 22 $\frac{7}{16}$	22763 1 $\frac{3}{4}$ 23	22268 1 $\frac{3}{4}$ 23 $\frac{1}{8}$	20694 1 $\frac{3}{4}$ 23 $\frac{1}{4}$
									
304	22042 1 $\frac{3}{4}$ 23 $\frac{3}{16}$	21849 1 $\frac{3}{4}$ 23 $\frac{1}{16}$	22291 1 $\frac{3}{4}$ 23 $\frac{1}{2}$	21663 1 $\frac{3}{4}$ 23 $\frac{13}{16}$	20584 1 $\frac{3}{4}$ 24	21284 1 $\frac{3}{4}$ 24 $\frac{1}{8}$	21930 1 $\frac{3}{4}$ 24 $\frac{1}{8}$	22301 1 $\frac{3}{4}$ 24 $\frac{1}{8}$	20536 1 $\frac{3}{4}$ 24 $\frac{1}{4}$

Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

305									
	22312	22433	23077	22314	22645	20811	21216	22125	22302
	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$
	24 $\frac{7}{8}$	25	26 $\frac{13}{32}$	26 $\frac{3}{4}$	26 $\frac{19}{16}$	27	27 $\frac{5}{16}$	28 $\frac{15}{16}$	29 $\frac{1}{8}$
306									
	21776	22081	22247	21825	22862	22360	22036	21377	22053
	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$
	29 $\frac{1}{4}$	29 $\frac{3}{4}$	31 $\frac{1}{8}$	31 $\frac{1}{4}$	31 $\frac{5}{8}$	32 $\frac{3}{16}$	32 $\frac{5}{8}$	33 $\frac{5}{8}$	34 $\frac{1}{4}$
307									
	22548	22895	23066	20608	20544	20746	20813	21236	20819
	1 $\frac{3}{4}$	1 $\frac{3}{4}$ X 1 $\frac{13}{16}$	1 $\frac{3}{4}$ X 1 $\frac{13}{16}$	1 $\frac{3}{4}$ X 1 $\frac{7}{8}$	1 $\frac{3}{4}$ X 1 $\frac{7}{8}$	1 $\frac{3}{4}$ X 1 $\frac{7}{8}$	1 $\frac{3}{4}$ X 1 $\frac{7}{8}$	1 $\frac{3}{4}$ X 1 $\frac{7}{8}$	1 $\frac{3}{4}$ X 1 $\frac{7}{8}$
	39 $\frac{5}{8}$	16 $\frac{1}{4}$	17 $\frac{13}{16}$	13 $\frac{13}{16}$	14	16 $\frac{5}{8}$	17 $\frac{3}{4}$	18	18 $\frac{15}{16}$
308									
	20610	21117	20520	21375	20498	21969	20546	20295	21256
	1 $\frac{3}{4}$ X 1 $\frac{7}{8}$	1 $\frac{3}{4}$ X 1 $\frac{15}{16}$	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2
	19 $\frac{3}{4}$	12 $\frac{1}{4}$	5	5 $\frac{5}{8}$	11 $\frac{5}{16}$	11 $\frac{15}{16}$	12 $\frac{7}{16}$	14 $\frac{15}{16}$	14 $\frac{15}{16}$

Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

309

20276
1 $\frac{3}{4}$ X 2
15

20719
1 $\frac{3}{4}$ X 2
15 $\frac{1}{4}$

21789
1 $\frac{3}{4}$ X 2
15 $\frac{5}{16}$

21118
1 $\frac{3}{4}$ X 2
15 $\frac{7}{16}$

20412
1 $\frac{3}{4}$ X 2
15 $\frac{1}{2}$

20411
1 $\frac{3}{4}$ X 2
15 $\frac{5}{8}$

21250
1 $\frac{3}{4}$ X 2
16 $\frac{1}{8}$

20510
1 $\frac{3}{4}$ X 2
16 $\frac{1}{4}$

21139
1 $\frac{3}{4}$ X 2
16 $\frac{13}{16}$

310

21253
1 $\frac{3}{4}$ X 2
17 $\frac{5}{8}$

20601
1 $\frac{3}{4}$ X 2
17 $\frac{3}{4}$

22897
1 $\frac{3}{4}$ X 2
17 $\frac{3}{4}$

21053
1 $\frac{3}{4}$ X 2
17 $\frac{15}{16}$

21721
1 $\frac{3}{4}$ X 2
17 $\frac{15}{16}$

23076
1 $\frac{3}{4}$ X 2
18

20622
1 $\frac{3}{4}$ X 2
18 $\frac{1}{8}$

21034
1 $\frac{3}{4}$ X 2
18 $\frac{1}{4}$

21089
1 $\frac{3}{4}$ X 2
18 $\frac{1}{4}$

311

20595
1 $\frac{3}{4}$ X 2
18 $\frac{13}{16}$

21078
1 $\frac{3}{4}$ X 2
19 $\frac{1}{8}$

20718
1 $\frac{3}{4}$ X 2
19 $\frac{5}{8}$

21090
1 $\frac{3}{4}$ X 2
19 $\frac{5}{8}$

21944
1 $\frac{3}{4}$ X 2
20 $\frac{5}{8}$

21251
1 $\frac{3}{4}$ X 2
20 $\frac{13}{16}$

23068
1 $\frac{3}{4}$ X 2
21

20617
1 $\frac{3}{4}$ X 2
21 $\frac{1}{16}$

21505
1 $\frac{3}{4}$ X 2
22 $\frac{3}{4}$

312

22700
1 $\frac{3}{4}$ X 2
23 $\frac{5}{8}$

22846
1 $\frac{3}{4}$ X 2
23 $\frac{11}{16}$

21403
1 $\frac{3}{4}$ X 2
23 $\frac{3}{4}$

23088
1 $\frac{3}{4}$ X 2
24

22892
1 $\frac{3}{4}$ X 2
24 $\frac{1}{2}$

20579
1 $\frac{3}{4}$ X 2
24 $\frac{13}{16}$





































22767
1 $\frac{3}{4}$ X 2
24 $\frac{15}{16}$

20761
1 $\frac{3}{4}$ X 2
26 $\frac{5}{8}$

23114
1 $\frac{3}{4}$ X 2
26 $\frac{29}{32}$





































Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

313									
	22434	22766	22795	21243	22765	23087	22025	22764	23099
	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2
	28 $\frac{1}{8}$	31	31	31 $\frac{1}{4}$	31 $\frac{15}{16}$	32 $\frac{5}{16}$	37 $\frac{3}{8}$	39 $\frac{3}{16}$	39 $\frac{1}{2}$
314									
	23071	22768	20615	20614	20509	20613	20727	21826	21285
	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2	1 $\frac{3}{4}$ X 2 $\frac{1}{16}$	1 $\frac{3}{4}$ X 2 $\frac{1}{16}$	1 $\frac{3}{4}$ X 2 $\frac{1}{16}$	1 $\frac{3}{4}$ X 2 $\frac{1}{16}$	1 $\frac{3}{4}$ X 2 $\frac{1}{16}$	1 $\frac{3}{4}$ X 2 $\frac{1}{8}$	1 $\frac{3}{4}$ X 2 $\frac{1}{8}$
	51 $\frac{1}{8}$	69 $\frac{1}{4}$	10 $\frac{13}{16}$	15	16 $\frac{1}{2}$	18 $\frac{5}{16}$	22 $\frac{1}{4}$	21	21 $\frac{5}{8}$
315									
	22176	21802	20458	20572	21731	22718	20548	22698	21770
	1 $\frac{3}{4}$ X 2 $\frac{1}{8}$	1 $\frac{3}{4}$ X 2 $\frac{1}{8}$	1 $\frac{3}{4}$ X 2 $\frac{1}{4}$	1 $\frac{3}{4}$ X 2 $\frac{1}{4}$	1 $\frac{3}{4}$ X 2 $\frac{5}{16}$	1 $\frac{13}{16}$	1 $\frac{13}{16}$	1 $\frac{13}{16}$	1 $\frac{13}{16}$
	22	37 $\frac{13}{16}$	10 $\frac{13}{16}$	15	23 $\frac{15}{16}$	12	15 $\frac{1}{4}$	21 $\frac{5}{8}$	24 $\frac{5}{8}$
316									
	21809	21368	21136	22669	22679	21767	21182	21573	22136
	1 $\frac{13}{16}$ X 1 $\frac{7}{8}$	1 $\frac{13}{16}$ X 2	1 $\frac{13}{16}$ X 2	1 $\frac{13}{16}$ X 2	1 $\frac{13}{16}$ X 2	1 $\frac{13}{16}$ X 2 $\frac{1}{8}$	1 $\frac{7}{8}$	1 $\frac{7}{8}$	1 $\frac{7}{8}$
	18 $\frac{1}{4}$	4 $\frac{1}{4}$	16 $\frac{3}{8}$	24 $\frac{1}{2}$	25 $\frac{1}{16}$	28 $\frac{9}{16}$	13 $\frac{1}{2}$	21 $\frac{5}{16}$	30 $\frac{7}{16}$

Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

317									
	22032	21536	20590	21938	22191	22067	22400	22160	21846
	$1\frac{7}{8}$	$1\frac{7}{8} \times 2$	$1\frac{7}{8} \times 2\frac{1}{8}$	$1\frac{15}{16}$	$1\frac{15}{16}$	$1\frac{15}{16}$	$1\frac{15}{16}$	$1\frac{15}{16}$	$1\frac{15}{16}$
	38½	17 $\frac{13}{16}$	17 $\frac{15}{16}$	18¼	18 $\frac{7}{16}$	20¼	20½	22 $\frac{7}{16}$	23½
318									
	22705	22033	21961	22034	22161	22031	22664	21989	22734
	$1\frac{15}{16}$	$1\frac{15}{16}$	$1\frac{15}{16}$	$1\frac{15}{16}$	$1\frac{15}{16}$	$1\frac{15}{16}$	$1\frac{15}{16}$	$1\frac{15}{16}$	$1\frac{15}{16}$
	25 $\frac{11}{16}$	28¼	34¼	34¼	34 $\frac{5}{16}$	35¾	37 $\frac{7}{16}$	40 $\frac{9}{16}$	55 $\frac{9}{16}$
319									
	21248	21249	21245	21247	21984	22135	21985	22082	21901
	$1\frac{15}{16} \times 2$	$1\frac{15}{16} \times 2$	$1\frac{15}{16} \times 2$	$1\frac{15}{16} \times 2$	$1\frac{15}{16} \times 2$	$1\frac{15}{16} \times 2\frac{3}{16}$	$1\frac{15}{16} \times 2\frac{3}{16}$	$1\frac{15}{16} \times 2\frac{1}{4}$	$1\frac{15}{16} \times 2\frac{3}{8}$
	17¾	19 $\frac{9}{8}$	24¾	24 $\frac{13}{16}$	35¾	26	27 $\frac{13}{16}$	18 $\frac{7}{16}$	4 $\frac{7}{16}$
320									
	22189	21473	21571	21100	21255	21307	20685	21559	20206
	$1\frac{15}{16} \times 2\frac{3}{8}$	2	2	2	2	2	2	2	2
	54¼	5 $\frac{7}{16}$	5 $\frac{7}{16}$	7 $\frac{7}{16}$	7 $\frac{13}{16}$	8¾	9¼	9½	10

Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)


321



322



323



324



Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

325



21470
2
22

21810
2
22⁵/₁₆

22702
2
22⁷/₁₆

20735
2
23⁷/₁₆

21936
2
23³/₄

22668
2
24¹/₄

21477
2
24¹⁵/₁₆

21107
2
25¹/₈

21252
2
25³/₄

326



20933
2
26¹/₂

22745
2
26⁵/₈

21845
2
27¹/₂

21962
2
28⁵/₈

21378
2
30

21853
2
30⁷/₁₆

22780
2
34³/₃₂

22068
2
35¹/₂

21854
2
35³/₄

327



22134
2
36¹⁵/₁₆

21855
2
38¹³/₁₆

22856
2
42¹³/₁₆

21154
2 X 2¹/₈
20

20532
2 X 2¹/₄
3

20882
2 X 2¹/₄
11

20845
2 X 2¹/₄
12³/₄

20847
2 X 2¹/₄
13¹/₄

21526
2 X 2¹/₄
13⁵/₁₆

328



21522
2 X 2¹/₄
13¹³/₁₆

20844
2 X 2¹/₄
13¹⁵/₁₆

20849
2 X 2¹/₄
14⁷/₈

20523
2 X 2¹/₄
14³/₄

20493
2 X 2¹/₄
15¹/₂

21525
2 X 2¹/₄
15⁵/₈

20431
2 X 2¹/₄
16⁷/₁₆

20848
2 X 2¹/₄
16¹/₂

20457
2 X 2¹/₄
17¹³/₁₆

Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

329

20913
2 X 2¼
18⅞

21395
2 X 2¼
18⅞

22847
2 X 2¼
18⅞

22775
2 X 2¼
20

20639
2 X 2¼
20⅞

20912
2 X 2¼
20⅞

20846
2 X 2¼
23

22903
2 X 2¼
23

21993
2 X 2¼
25⅞

22704
2 X 2¼
25⅞

330

22781
2 X 2¼
29¼

21803
2 X 2¼
37⅞

21405
2 X 2⅝
17

21363
2 X 2⅝
5⅞

21524
2 X 2⅝
11½

21474
2 X 2⅝
17½

21747
2 X 2⅝
20⅞

21468
2 X 2⅝
21⅞

21492
2 X 2½
4

331

21451
2 X 2½
11⅞

21131
2 X 2½
12¾

21544
2 X 2½
13⅞

22785
2 X 2½
17⅞

22140
2 X 2½
20⅞

22159
2 X 2½
20⅞

22097
2 X 2½
21⅞

22744
2 X 2½
27⅞

21453
2 X 2½
32

332

23085
2 X 2½
33

20835
2⅞
15⅞

21987
2⅞
24⅞

22030
2⅞ X 2¼
21⅞

21556
2¼
4½

20748
2¼
6⅞

22951
2¼
8⅞



20172
2¼
9¼

20756
2¼
10¾

Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)









333

								
20867 2¼ 11⅞	20717 2¼ 12⅞	21194 2¼ 12⅞	21108 2¼ 12⅞	20459 2¼ 12⅞	21471 2¼ 12¾	21475 2¼ 13⅞	21476 2¼ 13¼	22671 2¼ 14










334

								
21114 2¼ 14⅞	21120 2¼ 14⅞	21296 2¼ 15½	21308 2¼ 15⅞	23175 2¼ 15⅞	20397 2¼ 17⅞	21393 2¼ 17⅞	21460 2¼ 17½	22060 2¼ 17¾

335

							
20973 2¼ 19⅞	21287 2¼ 21¾	21516 2¼ 21⅞	22774 2¼ 22½	22670 2¼ 23⅞	20401 2¼ 24¼	21418 2¼ 24⅞	21119 2¼ 24⅞


336

								
21121 2¼ 25⅞	20731 2¼ 25⅞	22784 2¼ X 2¼ 19	22782 2¼ X 2¼ 28⅞	22709 2¼ X 2⅜ 16⅞	22710 2¼ X 2⅜ 18⅞	22711 2¼ X 2⅜ 27⅞	22712 2¼ X 2⅞ 14⅞	20369 2¼ X 2½ 3⅞


Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

337




338



339







































340







































Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

341									
	22717 2 ³ / ₈ 19	21547 2 ³ / ₈ X 2 ¹ / ₂ 21 ¹ / ₄	20967 2 ³ / ₈ X 2 ³ / ₄ 15 ¹ / ₈	22188 2 ⁷ / ₁₆ 33	21123 2 ⁷ / ₁₆ X 2 ¹ / ₂ 24 ¹ / ₄	21135 2 ¹ / ₂ 8 ¹ / ₂	21459 2 ¹ / ₂ 12	20760 2 ¹ / ₂ 12 ¹ / ₈	23173 2 ¹ / ₂ 12 ¹³ / ₃₂
									
	21891 2 ¹ / ₂ 12 ¹⁵ / ₁₆	20987 2 ¹ / ₂ 13 ³ / ₄	21370 2 ¹ / ₂ 15 ¹³ / ₁₆	21893 2 ¹ / ₂ 15 ¹³ / ₁₆	22707 2 ¹ / ₂ 15 ¹⁵ / ₁₆	22950 2 ¹ / ₂ 16 ¹ / ₈	21564 2 ¹ / ₂ 16 ⁷ / ₁₆	20970 2 ¹ / ₂ 16 ⁵ / ₈	21455 2 ¹ / ₂ 16 ⁵ / ₈
									
	20996 2 ¹ / ₂ 16 ³ / ₄	22726 2 ¹ / ₂ 17 ⁷ / ₁₆	21241 2 ¹ / ₂ 18	22952 2 ¹ / ₂ 18 ²⁹ / ₃₂	23014 2 ¹ / ₂ 18 ²⁹ / ₃₂	21300 2 ¹ / ₂ 20 ⁵ / ₁₆	22959 2 ¹ / ₂ 21 ¹³ / ₆₄	22100 2 ¹ / ₂ 21 ¹⁵ / ₁₆	22850 2 ¹ / ₂ 22 ⁵ / ₈
									
	23013 2 ¹ / ₂ 23 ¹³ / ₆₄	21115 2 ¹ / ₂ 24 ³ / ₄	21452 2 ¹ / ₂ 25 ¹ / ₈	23015 2 ¹ / ₂ 26	22762 2 ¹ / ₂ 27 ¹ / ₁₆	23084 2 ¹ / ₂ 28	22716 2 ¹ / ₂ 28 ¹ / ₂	22877 2 ¹ / ₂ 29 ¹³ / ₁₆	23086 2 ¹ / ₂ 30 ¹³ / ₆₄









Molded Coolant Hose Dimensions



Listed in order by Inside Diameter (inches) and Length (inches)

345									
	22980 2½ 30 ¹³ / ₃₂	22193 2½ 33¾	22773 2½ 35½	23171 2½ 35½	23229 2½ 43 ¹⁹ / ₃₂	22192 2½ 48¼	22194 2½ 50 ⁹ / ₈	22783 2½ X 2½ 23¾	21290 2½ X 2 ⁵ / ₈ 13¾
									
	21129 2½ X 2 ⁵ / ₈ 15 ⁵ / ₈	21130 2½ X 2 ⁵ / ₈ 18	21288 2½ X 2 ⁵ / ₈ 18 ¹ / ₈	20564 2½ X 2 ¹¹ / ₁₆ 3½	21137 2½ X 2 ³ / ₄ 10 ¹⁵ / ₁₆	20960 2½ X 2 ³ / ₄ 12 ⁷ / ₁₆	20961 2½ X 2 ³ / ₄ 12 ⁵ / ₈	21134 2½ X 2 ⁷ / ₈ 8	21842 2½ X 2 ⁷ / ₈ 10½
									
	22273 2½ X 2 ⁷ / ₈ 12	21766 2½ X 2 ⁷ / ₈ 12 ⁵ / ₁₆	21291 2½ X 2 ⁷ / ₈ 12 ¹⁵ / ₁₆	21400 2½ X 3 5	21472 2½ X 3 16 ¹ / ₈	22062 2½ X 3 27 ¹⁵ / ₁₆	21116 2½ X 3 ¹ / ₁₆ 3 ¹⁵ / ₁₆	20682 2 ⁵ / ₈ 8 ⁵ / ₁₆	20530 2 ⁵ / ₈ 9¼
348									
	20968 2 ¹¹ / ₁₆ 16¾	20587 2 ¹¹ / ₁₆ 17¾	21491 2¾ 10 ¹⁵ / ₁₆	21304 2¾ 11 ¹³ / ₁₆	21939 2¾ 12 ¹ / ₁₆	20744 2¾ 12 ⁹ / ₈	21238 2¾ 17 ⁹ / ₈	21464 2¾ 20¼	21037 2¾ 22

Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

349								
	21301 2 ³ / ₄ 22 ⁷ / ₁₆	21463 2 ³ / ₄ 25 ¹ / ₄	21419 2 ³ / ₄ X 3 4 ⁷ / ₁₆	21038 2 ³ / ₄ X 3 7	21196 2 ³ / ₄ X 3 8 ⁷ / ₁₆	21239 2 ³ / ₄ X 3 8 ¹⁵ / ₁₆	21467 2 ³ / ₄ X 3 24	21128 3 5 ³ / ₄

350					
	21466 3 7 ⁷ / ₁₆	21420 3 9 ³ / ₄	21042 3 14	22274 3 21 ⁵ / ₈	21892 3 ¹ / ₂ 14 ¹ / ₂

Branched Molded Coolant Hose Dimensions


Listed in order of smallest ID (inches) to largest ID. Number below part number is hose ID(s). Number below ID indicates hose centerline length (inches). Multiple ID's are identified by the main hose, then the extension. If the main hose and extension have the same ID, only one ID is shown. Should the main hose have an expanded end, the ID's are represented by the following example:

EXAMPLE:

22398 Part Number

$1\frac{9}{32}$ x $2\frac{3}{32}$ x $\frac{3}{8}$ Inside Diameters
(Main Hose has expanded end $\frac{5}{8}$ x $\frac{3}{4}$, extension ID is $\frac{1}{4}$)

15 $\frac{3}{8}$ Centerline Length of Main Hose



Branched Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

351



22398
 $1\frac{9}{32}$ x $2\frac{3}{32}$ x $\frac{3}{8}$
15 $\frac{3}{8}$



22399
 $1\frac{9}{32}$ x $\frac{7}{8}$ x $\frac{3}{8}$
23 $\frac{1}{4}$



22468
 $1\frac{9}{32}$ x $1\frac{9}{32}$ x $\frac{1}{4}$
34 $\frac{15}{16}$

352



22469
 $1\frac{9}{32}$ x $1\frac{9}{32}$ x $\frac{1}{4}$
34 $\frac{15}{16}$



22471
 $1\frac{9}{32}$ x $2\frac{29}{32}$
57 $\frac{5}{16}$



22512
 $\frac{5}{8}$ x $\frac{3}{4}$ x $\frac{5}{8}$
9 $\frac{5}{8}$

Branched Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

353



22949
 $\frac{5}{8} \times \frac{5}{8} \times \frac{1}{4}$
 $13\frac{5}{16}$



22736
 $\frac{5}{8} \times \frac{5}{8} \times \frac{1}{4}$
 $13\frac{3}{4}$



22946
 $\frac{5}{8} \times \frac{3}{4} \times \frac{3}{4} \times \frac{3}{4}$
 $13\frac{3}{32}$

354



23149
 $\frac{5}{8} \times \frac{5}{8} \times \frac{5}{8}$
 $14\frac{1}{8}$



22385
 $\frac{5}{8} \times \frac{5}{8} \times \frac{3}{4}$
 $15\frac{3}{4}$



22947
 $\frac{5}{8} \times \frac{3}{4} \times \frac{3}{4} \times \frac{3}{4}$
 $17\frac{19}{32}$

355



22609
 $\frac{5}{8} \times \frac{5}{8} \times \frac{5}{8}$
 $20\frac{9}{16}$



22540
 $\frac{5}{8} \times \frac{23}{32} \times \frac{5}{8}$
 $22\frac{3}{16}$



22538
 $\frac{5}{8} \times \frac{23}{32} \times \frac{5}{8}$
 $23\frac{1}{8}$

356



22513
 $\frac{5}{8} \times \frac{5}{8} \times \frac{5}{8}$
 $25\frac{1}{2}$



22110
 $\frac{5}{8} \times \frac{5}{8} \times \frac{5}{8}$
 $29\frac{3}{16}$



22520
 $\frac{5}{8} \times \frac{5}{8} \times \frac{5}{8}$
 $30\frac{11}{16}$

Branched Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

357



22737
5/8 X 5/8 X 1/4
31



22521
5/8 X 5/8 X 5/8
36¹⁹/₃₂



22624
5/8 X 5/8 X 5/8
38¹⁷/₃₂

358



21818
5/8 X 5/8 X 1
50¹/₄



22614
5/8 X 5/8 X 3/4
50¹/₄



21817
5/8 X 5/8 X 23/32
51⁵/₈

359



22613
5/8 X 5/8 X 3/4
62¹/₃₂



22470
5/8 X 15/16
64¹¹/₁₆



22570
23/32 X 23/32 X 3/8
30⁷/₈

360



22924
23/32 X 5/8 X 5/8
16³/₃₂



22601
3/4 X 31/32 X 5/8
12¹³/₁₆



22945
3/4 X 3/4 X 3/4 X 3/4
17⁵/₁₆

Branched Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)



361

22944
 $\frac{3}{4} \times \frac{3}{4} \times \frac{3}{4} \times \frac{3}{4}$
 $18\frac{13}{16}$



22605
 $\frac{3}{4} \times \frac{3}{4} \times \frac{9}{32} \times 1\frac{1}{16}$
 19



22554
 $1 \times \frac{3}{4} \times \frac{5}{8} \times \frac{5}{8}$
 $19\frac{3}{32}$



362

22953
 1
 $19\frac{5}{16}$



22180
 $1\frac{1}{32} \times 1\frac{1}{4} \times \frac{9}{32} \times 1\frac{7}{32} \times 1\frac{7}{32}$
 $22\frac{13}{16}$



23091
 $1\frac{3}{16} \times 1\frac{3}{16} \times 1\frac{3}{32}$
 12



363

23090
 $1\frac{3}{16} \times 1\frac{3}{16} \times \frac{3}{8}$
 $13\frac{11}{16}$



22366
 $1\frac{7}{32} \times 1\frac{5}{16} \times \frac{19}{32} \times \frac{19}{32} \times \frac{19}{32}$
 $11\frac{15}{16}$



22598
 $1\frac{7}{32} \times 1\frac{15}{32} \times \frac{1}{4}$
 $14\frac{19}{32}$



364

22046
 $1\frac{7}{32} \times 1\frac{7}{32} \times 1\frac{11}{32}$
 $14\frac{27}{32}$



22106
 $1\frac{7}{32} \times 1\frac{15}{32} \times \frac{19}{32}$
 $15\frac{13}{16}$



21595
 $1\frac{7}{32} \times 1\frac{7}{32} \times \frac{23}{32}$
 $18\frac{3}{4}$

Branched Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

365



22367
1 1/4 X 1 11/32 X 19/32 X 19/32 X 19/32
11 5/8



22178
1 1/4 X 1 11/16 X 5/8 X 5/8 X 5/8
14 13/32



22179
1 1/4 X 1 11/16 X 5/8 X 5/8 X 5/8
14 17/32

366



22093
1 1/4 X 1 5/16 X 23/32
15 19/32



22504
1 1/4 X 1 5/16 X 3/4
15 3/32



22096
1 1/4 X 1 5/16 X 23/32
15 3/4

367



22337
1 1/4 X 1 1/4 X 1 1/2 X 5/16
15 5/8



22094
1 1/4 X 1 5/16 X 23/32
16 19/16



22095
1 1/4 X 1 5/16 X 23/32
16 13/16

368



22465
1 1/4 X 1 19/32 X 3/4
18 1/4



22841
1 1/4 X 1 1/4 X 3/8
19 11/16



21829
1 1/4 X 1 5/16 X 23/32
24 1/2

Branched Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)



369

22277
 $1\frac{1}{4} \times 1\frac{7}{8} \times 29\frac{3}{32} \times \frac{5}{8}$
 $37\frac{3}{4}$



22600
 $1\frac{9}{32} \times 3\frac{1}{32} \times \frac{5}{8} \times \frac{5}{8}$
 $12\frac{1}{2}$



22092
 $1\frac{9}{32} \times 1\frac{9}{32} \times 23\frac{3}{32}$
 $35\frac{7}{16}$



370

21785
 $1\frac{5}{16} \times 1\frac{1}{2} \times \frac{3}{4}$
 $11\frac{1}{8}$



22012
 $1\frac{5}{16} \times 1\frac{9}{16} \times \frac{3}{4}$
 11



22334
 $1\frac{5}{16} \times 1\frac{5}{16} \times \frac{3}{4}$
 $13\frac{31}{32}$



371

22111
 $1\frac{5}{16} \times 1\frac{5}{16} \times 23\frac{3}{32}$
 $13\frac{7}{8}$



21904
 $1\frac{5}{16} \times 1\frac{5}{16} \times 23\frac{3}{32}$
 $14\frac{1}{2}$



22148
 $1\frac{5}{16} \times 1\frac{5}{16} \times 23\frac{3}{32}$
 $14\frac{5}{16}$



372

22343
 $1\frac{5}{16} \times 1\frac{5}{16} \times 23\frac{3}{32}$
 $15\frac{11}{32}$



22211
 $1\frac{5}{16} \times 1\frac{5}{16} \times \frac{3}{4}$
 $15\frac{13}{32}$



21795
 $1\frac{5}{16} \times 1\frac{9}{16} \times 11\frac{1}{16}$
 $17\frac{1}{2}$

Branched Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

373



22065
 $1\frac{5}{16} \times 1\frac{5}{16} \times 23\frac{3}{32}$
 $17\frac{3}{16}$



22333
 $1\frac{5}{16} \times 1\frac{5}{16} \times 3\frac{3}{4}$
 $17\frac{3}{8}$



22697
 $1\frac{5}{16} \times 1\frac{5}{16} \times 3\frac{3}{4}$
 $18\frac{13}{32}$

374



22109
 $1\frac{5}{16} \times 1\frac{5}{16} \times 23\frac{3}{32}$
 $18\frac{3}{32}$



22708
 $1\frac{5}{16} \times 1\frac{5}{16} \times 3\frac{3}{4}$
 $20\frac{19}{32}$



21791
 $1\frac{5}{16} \times 1\frac{9}{16} \times 23\frac{3}{32}$
 $22\frac{3}{4}$

375



22527
 $1\frac{5}{16} \times 1\frac{5}{16} \times 3\frac{3}{4}$
 $27\frac{3}{4}$



22839
 $1\frac{7}{16} \times 1\frac{7}{16} \times 5\frac{5}{8} \times 5\frac{5}{8}$
 $12\frac{13}{32}$



22562
 $1\frac{7}{16} \times 1\frac{7}{16} \times 23\frac{3}{32}$
 $15\frac{1}{2}$

376



22388
 $1\frac{7}{16} \times 1\frac{5}{8} \times 15\frac{1}{16}$
 40



22662
 $1\frac{7}{16} \times 1\frac{7}{16} \times 15\frac{1}{16}$
 $43\frac{9}{32}$



22369
 $1\frac{15}{32} \times 1\frac{15}{32} \times 23\frac{3}{32}$
 $9\frac{29}{32}$

Branched Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)



377

22368
 $1\frac{15}{32}$ X $1\frac{15}{32}$ X $2\frac{23}{32}$
 $10\frac{15}{16}$



22149
 $1\frac{15}{32}$ X $1\frac{15}{32}$ X $\frac{3}{4}$
 $13\frac{31}{32}$



22249
 $1\frac{15}{32}$ X $1\frac{23}{32}$ X $\frac{31}{32}$
 $14\frac{11}{16}$



378

22254
 $1\frac{15}{32}$ X $1\frac{15}{32}$ X $1\frac{19}{32}$
 $15\frac{19}{32}$



22243
 $1\frac{15}{32}$ X $1\frac{15}{32}$ X $2\frac{23}{32}$
 $17\frac{1}{2}$



22351
 $1\frac{15}{32}$ X $1\frac{15}{32}$ X $1\frac{19}{32}$
 $17\frac{5}{16}$



379

22255
 $1\frac{15}{32}$ X $1\frac{15}{32}$ X $1\frac{19}{32}$
 $18\frac{13}{32}$



22787
 $1\frac{15}{32}$ X $1\frac{15}{32}$ X $1\frac{15}{16}$
 $43\frac{19}{32}$



21927
 $1\frac{15}{32}$ X $1\frac{15}{32}$ X $\frac{31}{32}$
 $46\frac{31}{32}$



380

22505
 $1\frac{1}{2}$ X $1\frac{1}{2}$ X $\frac{3}{4}$
 $18\frac{13}{16}$



21894
 $1\frac{1}{2}$ X $1\frac{11}{16}$ X $\frac{3}{4}$
 $19\frac{7}{8}$



22812
 $1\frac{1}{2}$ X $1\frac{1}{2}$ X 1
 $33\frac{3}{16}$

Branched Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)

381



22442
1 $\frac{1}{2}$ X 1 $\frac{1}{2}$ X 2 $\frac{3}{32}$
34 $\frac{9}{32}$



22438
1 $\frac{17}{32}$ X 1 $\frac{25}{32}$ X 1
24 $\frac{7}{16}$



22401
1 $\frac{11}{16}$ X $\frac{5}{8}$ X $\frac{5}{8}$ X 1 $\frac{3}{4}$
3 $\frac{3}{4}$

382



22402
1 $\frac{11}{16}$ X $\frac{5}{8}$ X $\frac{5}{8}$ X 1 $\frac{3}{4}$
4 $\frac{1}{8}$



22294
1 $\frac{23}{32}$ X 1 $\frac{27}{32}$ X 3 $\frac{1}{32}$ X 2 $\frac{3}{32}$ X 2 $\frac{3}{32}$
13 $\frac{13}{32}$



22296
1 $\frac{23}{32}$ X 1 $\frac{23}{32}$ X 3 $\frac{1}{32}$ X 2 $\frac{3}{32}$ X 2 $\frac{3}{32}$
13 $\frac{13}{32}$

383



22297
1 $\frac{23}{32}$ X 1 $\frac{23}{32}$ X 3 $\frac{1}{32}$ X 2 $\frac{3}{32}$ X 2 $\frac{3}{32}$
13 $\frac{15}{32}$



22295
1 $\frac{23}{32}$ X 1 $\frac{27}{32}$ X 3 $\frac{1}{32}$
14 $\frac{3}{4}$



22298
1 $\frac{23}{32}$ X 1 $\frac{23}{32}$ X 3 $\frac{1}{32}$
14 $\frac{3}{4}$

384



22778
1 $\frac{23}{32}$ X 1 $\frac{31}{32}$ X 3 $\frac{1}{32}$
19 $\frac{13}{32}$



22292
1 $\frac{23}{32}$ X 1 $\frac{31}{32}$ X 1
24 $\frac{5}{32}$



22299
1 $\frac{23}{32}$ X 1 $\frac{23}{32}$ X 3 $\frac{1}{32}$
24 $\frac{5}{8}$

Branched Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)



385

22313
 $1\frac{23}{32}$ X $1\frac{23}{32}$ X $\frac{9}{32}$
 $24\frac{5}{8}$



22216
 $1\frac{23}{32}$ X $1\frac{15}{16}$ X $\frac{29}{32}$
 26



22319
 $1\frac{23}{32}$ X $1\frac{23}{32}$ X $\frac{31}{32}$
 $26\frac{3}{16}$



386

22371
 $1\frac{23}{32}$ X $1\frac{23}{32}$ X $\frac{31}{32}$ X $\frac{23}{32}$ X $\frac{23}{32}$
 $30\frac{3}{4}$



22372
 $1\frac{23}{32}$ X $1\frac{23}{32}$ X $\frac{31}{32}$
 $33\frac{7}{32}$



22318
 $1\frac{23}{32}$ X $1\frac{23}{32}$ X $\frac{31}{32}$ X $\frac{23}{32}$ X $\frac{23}{32}$
 $34\frac{13}{16}$



387

22432
 $1\frac{23}{32}$ X $1\frac{13}{16}$ X $\frac{3}{4}$ X $\frac{13}{16}$
 $35\frac{9}{16}$



22317
 $1\frac{23}{32}$ X $1\frac{23}{32}$ X $\frac{31}{32}$
 $39\frac{7}{32}$



22430
 $1\frac{23}{32}$ X $1\frac{23}{32}$ X $\frac{3}{4}$ X $\frac{3}{4}$
 $39\frac{1}{2}$



388

22104
 $1\frac{3}{4}$ X $2\frac{1}{8}$ X $\frac{3}{4}$
 $20\frac{3}{16}$



22770
 $1\frac{3}{4}$ X $1\frac{3}{4}$ X 1
 25



22772
 $1\frac{3}{4}$ X $1\frac{3}{4}$ X $\frac{29}{32}$
 $29\frac{13}{32}$

Branched Molded Coolant Hose Dimensions

Listed in order by Inside Diameter (inches) and Length (inches)



389

22771
 $1\frac{3}{4}$ X 2 X 1
49 $\frac{7}{64}$



22927
 $1\frac{25}{32}$ X $1\frac{25}{32}$ X 1 X $\frac{5}{8}$
15 $\frac{3}{16}$



22683
 $1\frac{25}{32}$ X $1\frac{25}{32}$ X 1
19 $\frac{19}{32}$



390

22237
 $1\frac{25}{32}$ X $2\frac{1}{8}$ X $\frac{3}{4}$
21



22359
 $1\frac{25}{32}$ X $2\frac{5}{32}$ X $\frac{3}{4}$
21 $\frac{15}{32}$



22238
 $1\frac{25}{32}$ X $2\frac{1}{8}$ X $\frac{3}{4}$
22



391

22105
 $1\frac{25}{32}$ X $2\frac{1}{8}$ X $\frac{25}{32}$
30 $\frac{3}{32}$



22650
 $1\frac{25}{32}$ X $2\frac{1}{8}$ X 1 X $\frac{5}{8}$
41 $\frac{13}{32}$